


**varieties, competence
& service**



Laura

**medium early, red skinned quality
ware potato**

- smooth red skin
- very nice, uniform long oval tubers
- deep yellow flesh colour
- excellent flavor
- suitable for processing to French fries



Maturity	medium early	Tuber tuber shape eye depth flesh colour skin raw discolouration	oval - long oval shallow deep yellow red, smooth, very nice low
Cooking type (EAPR)	B		
Consumption quality	quality ware potato, deep yellow flesh colour, excellent flavour, no discolouration after cooking, suitable for processing to French fries	Resistances PCN Potato Leafroll Virus Potato Virus Y (PVY) foliage blight tuber blight common scab	Ro 1-5 high very high medium medium - high high - medium
Yield	high marketable yield, very nice medium to large sized uniform tubers		
Youth development	rapid	Sensitivities spraing bruising mechanical damage	low low low - medium
Dormancy	high, good storability		

Laura has medium demands to the soil and water supply. Soils with extreme high pressure of spraing should be avoided.

Laura is growing very nice red skinned medium to large sized tubers with excellent culinary quality. Due to the medium tuberisation rate the recommended plant density is approx. 46,000 plants/ha for ware and approx 41.000 plants/ha for processing potatoes. Seed tuber treatment for control for *Rhizoctonia solani* generally is recommended.

Laura is sensitive to herbicide Metribuzine (Sencor, etc.). High dose rates as well as post emergence application should be avoided. Routine protective control of late blight is recommended.

Laura is yielding very nice red skinned tubers with excellent culinary quality and suitability for processing to French fries.

All particulars are based on official variety trials and/or our own experience.
However, as potatoes are natural products we cannot undertake any liability for these details.